

Implant compatibility chart



| Manufacturer | Implant | Implant Finish | | | | Screwdriver |
|--|--|----------------|----------------------|------------------|----------------------------------|----------------------------------|
| | | Titanium | Gold-shaded titanium | Zirconia - white | Zirconia - shaded | |
| Astra Tech | Internal | | | | | |
| | OsseoSpeed™ 3.0 – Yellow | x | x | | | 0.050" Hex screwdriver |
| | OsseoSpeed™ 3.5, 4.0 – Aqua | x | x | x | x | |
| | OsseoSpeed™ 4.5, 5.0 – Lilac | x | x | x | x | |
| OsseoSpeed™ 4.0 – Blue (Previous) | x | x | | | | |
| BioHorizons | Internal | | | | | |
| | Internal Implant 3.5, 4.5, 5.7 | x | x | x | x | 1.25 mm Hex screwdriver |
| | External | | | | | |
| | External Implant 3.5 | x | x | | | 0.050" Hex screwdriver |
| External Implant 4.0, 5.0 | x | x | x | x | | |
| Biomet 3i | Internal | | | | | |
| | Certain™ 3.25, 4.0, 5.0, 6.0 | x | x | x | x | 0.048" Hex screwdriver |
| | Certain™ Prevail™ 3/4/3, 4/5/4, 5/6/5 | x | x | x | x | |
| | Certain™ Prevail™ 4/3, 5/4, 6/5 | x | x | x | x | |
| | Certain™ XP 4/5, 5/6 | x | x | x | x | |
| | External | | | | | |
| | MicroMiniplant™ 3.25/3.4 | x | x | | | 0.048" Hex screwdriver |
| | Miniplant™ 3.25 | x | x | x | x | |
| | 3.75, 4.0 Standard | x | x | x | x | |
| | 5.0, 6.0 Wide | x | x | x | x | |
| Keystone Dental | External | | | | | |
| | Restore™ Small Diameter 3.3, 3.4 | x | x | | | 0.050" Hex screwdriver |
| | Restore™ Regular Diameter 3.75, 4.0 | x | x | x | x | |
| Restore™ Wide Diameter 5.0, 5.5, 6.0 | x | x | x | x | | |
| Nobel Biocare | Internal | | | | | |
| | NobelReplace™ NP 3.5 | x | x | x | x | Nobel Biocare Unigrip |
| | NobelReplace™ RP 4 | x | x | x | x | |
| | NobelReplace™ WP 5 | x | x | x | x | |
| | NobelReplace™ 6 | x | x | x | x | |
| | External | | | | | |
| | Brånemark System™ NP 3.3 | x | x | | | Nobel Biocare Unigrip |
| | Brånemark System™ RP 3.75, 4.0 | x | x | x | x | |
| | Brånemark System™ WP 5.0 | x | x | x | x | |
| | Brånemark System™ WP 5.5 | x | x | x | x | |
| | SteriOss Replace™ 3.1, 3.5 | x | x | | | 0.050" Hex screwdriver |
| | SteriOss Replace™ 4.3, 5.0, 6.0 | x | x | x | x | |
| | SteriOss HL™ 3.25 | x | x | | | |
| SteriOss HL™ 3.8, 4.5, 5.0, 6.0 | x | x | x | x | | |
| Straumann | Internal | | | | | |
| | Standard/Standard Plus 4.8 RN (Regular Neck) | x | x | | | Straumann screwdriver compatible |
| | Bone Level 3.3 NC (Narrow CrossFit™) | x | x | | | |
| | Bone Level 4.1 RC (Regular CrossFit™) | x | x | x | x | |
| | Bone Level 4.8 RC (Regular CrossFit™) | x | x | x | x | |
| External | | | | | | |
| Standard Plus 3.3 NN (Narrow Neck) | x | x | | | Straumann screwdriver compatible | |
| Sybron Implant Solutions | External | | | | | |
| | Endopore External Hex Connection 3.5 | x | x | | | 0.050" Hex screwdriver |
| | Endopore External Hex Connection 4.1, 5.0 | x | x | x | x | |
| | Entegra External Hex Connection 3.5 | x | x | | | |
| Entegra External Hex Connection 4.1, 5.0 | x | x | x | x | | |
| Zimmer Dental | Internal | | | | | |
| | Tapered Screw-Vent™ 3.5, 4.5, 5.7 | x | x | x | x | 1.25 mm Hex screwdriver |
| SwissPlus™ 4.8 | x | x | | | | |

Updated turnaround times!

Turnaround times

Atlantis™ abutments are available for all major implant systems, and in titanium, gold-shaded titanium and zirconia material options. Turnaround times vary depending on material and case size.

When the case is received at the Atlantis™ production unit and the production process is started, the Atlantis™ WebOrder account will be updated with the case delivery date.

Standard turnaround times are as follows:

| Atlantis™ abutment fabrication time (days) | | | |
|--|----------|----------------------|---------------------------|
| Case size | Titanium | Gold-shaded titanium | Zirconia white and shaded |
| 1–4 unit cases | 2 | 5 | 5 |
| 5+ unit cases | 3 | 6 | 6 |

Determine return date

1. Select your choice of delivery method and calculate the number of days it will take to ship the case from the laboratory to the Atlantis™ production unit. Astra Tech DHL account, # 960441255 can be used and the cost will be charged on the invoice.
2. Add on the days the case will be in-house at the Atlantis™ production unit. Calculation of fabrication time starts when the case is received at the Atlantis™ production unit before noon.
3. Astra Tech will ship the case free of charge via next day delivery.

Note:

- Design approvals to process case must be granted by midnight.
- Material, on-hold and case information issues must be resolved by midnight.
- Weekends and holidays are excluded.

Example

1–4 unit cases in titanium, received at Atlantis™ production unit before noon Monday will be shipped Wednesday and received in the laboratory Thursday.

Additional information

Atlantis™ abutments are delivered with the corresponding abutment screw at no extra charge. The implant manufacturer's recommended torque should always be used when placing the abutment screw.

For the most current version of the implant compatibility chart and turnaround times go to

www.atlantisabutment.com

